

Date:

Client:

Project:

VOLA product: COMBI-21



COMBI-21

¾" Thermostatic mixer with 3-way diverter. Combi-21UP = Thermostatic mixer 5400FVA3, 5 pcs. 200M..Combi-21AP = Handle NR51, handle NR52, handle NR64G, hand shower and hand shower holder with non-return valve 070, hose 1500 mm, ceiling mounted head shower 060A, 4 pcs. 050K, 6 pcs. 60 mm circular flanges 001, 3 pcs. 2001.

Flow

	Bar:	1.0	2.0	3.0	4.0	5.0
060A ¹⁾	(l/min)	12.7	18.0	22.0	25.4	28.4
050K ²⁾	(l/min)	2.9	4.1	5.0	5.0	5.0
070 ³⁾	(l/min)	5.2	7.4	9.0	9.0	9.0


¹⁾ Outlet 1 (Cal-Green flow max 2gpm)

²⁾ Outlet 2 (Cal-Green flow max 2gpm)

³⁾ Outlet 3 (Cal-Green flow max 2gpm)

Available in colors



- Color 02, Grey
- Color 04, Light blue
- Color 05, Orange
- Color 06, Light green
- Color 08, Yellow
- Color 09, Dark grey
- Color 12, Mocca
- Color 14, Bright red
- Color 15, Dark blue
- Color 16, Polished chrome
- Color 17, Gloss black
- Color 18, White
- Color 19, Natural brass
- Color 20, Brushed chrome
- Color 21, Carmine red
- Color 25, Pink
- Color 27, Matt black
- Color 40, Brushed stainless steel




Date:

Client:


Project:



001
60 mm circular flange. Hole Ø33 mm.



050K
Adjustable body jet. 60 mm cover flange included.



060A
Head shower, round, ceiling-mounted. 60 mm cover flange included.


Date:

Client:



Project:




070
Hand shower, hand shower holder and hose with non-return valve.



2001
60 mm circular flange. Hole Ø39 mm.




200M
Separate outlet socket. 1/2" connection to copper, steel, iron or pex pipe work.



Date:


Client:

Project:




5400FVA3

Thermostatic mixer with 3-way diverter, one premounted outlet socket. 3/4" connection to copper, steel, iron or pex pipe work.




NR51

On/off handle for 5000 and 6000.



NR52


Thermostatic handle for serie 5000.



Date:

Client:

Project:



NR64G

Diverter handle for 5400/5600. With peg in the same colour as handle (Standard).