

Date:

Client:

Project:

VOLA product: Combi-30




Combi-30

Kneipp hose and build-in stop valve. Combi-30UP = Build-in stop valve 2900. Combi-30AP = Handle NR17, kneipp hose 070W, 3 pcs. 60 mm circular flanges 001. Requires a minimum of 20 l/min.

Flow

	Bar:	1.0	2.0	3.0	4.0	5.0
Combi-30	(l/min)	23.1	32.7	40.0	46.2	51.6





Available in colors

- Color 02, Grey
- Color 04, Light blue
- Color 05, Orange
- Color 06, Light green
- Color 08, Yellow
- Color 09, Dark grey
- Color 12, Mocca
- Color 14, Bright red
- Color 15, Dark blue
- Color 16, Polished chrome
- Color 17, Gloss black
- Color 18, White
- Color 19, Natural brass
- Color 20, Brushed chrome
- Color 21, Carmine red
- Color 25, Pink
- Color 27, Matt black
- Color 40, Brushed stainless steel


Date:

Client:




Project:



001
60 mm circular flange. Hole Ø33 mm.



070W
Kneipp hose. Requires a minimum of 20 l/min.




2900
Single valve with fixed outlet.

Date:

Client:

Project:



NR17

Operating handle for 600, 700, 800, 900, 1500, 2800, 2900, S20, S21, S40, S42 incl. variants. Ø40 mm.